

FIG. 1




FIG. 2

+

3 / 8




FIG. 3

+

```

>BASH BUILD.SH> BUILD_OUTPUT.TXT
52 → CD MY_SRC
54 → SETENV COMPANYX_LIB...
56 → MAKE
      { MAKING IN DIRECTORY "MY_SRC"
        GCC A.B
        GCC B.C
        GCC C.C
      } ENTERING DIRECTORY "SUBDIR2"
      { MAKING IN DIRECTORY "SUBDIR2"
        ...
        LEAVING DIRECTORY "SUBDIR2"
      }
58 →
60 → CD .. /TP_SRC
62 → SETENV TP_LIB
64 → MAKE
      { MAKING IN DIRECTORY "TP_SRC"
        G++ D.CC
        G++ C.CC
      } LEAVING DIRECTORY "SUBDIR1"
66 →
68 → CD .. /OTHER_SRC
70 → PERL BUILD OTHER.PL
      { BUILDING IN DIRECTORY "OTHER SRC"
        READING CONFIG FILE "CONFIG.TXT"
        COMPILED...
        JAVAC A.JAVA
        JIKES B.JAVA
        GCJ C.JAVA
      } ALL DONE
72 →
74 →
  
```

FIG. 4




FIG. 5

6 / 8




FIG. 6

+

7 / 8




FIG. 7

+

+

8 / 8




FIG. 8

+